

KATHMANDU UNIVERSITY
SCHOOL OF ENGINEERING
DEPARTMENT OF GEOMATICS ENGINEERING



A REPORT ON
PREPARATION OF TOPOGRAPHICAL
MAP USING UNMANNED AIR VEHICLE(UAV)

SUBMITTED TO:

Sujan Sapkota

SUBMITTED BY:

Susham Shrestha (029037-21)

Date Of Submission

27 June 2024

ABSTRACT

Unmanned aerial vehicle (UAV)-based topographical map preparation is a major development in the surveying and cartography fields. This approach provides a very accurate, economical, and efficient replacement for conventional surveying methods. Detailed aerial imagery is captured by UAVs fitted with GPS modules and high-resolution cameras. This imagery is processed to produce extensive topographical maps. This report describes the tools, techniques, and topographical mapping applications of unmanned aerial vehicles (UAVs), emphasizing their use in construction, agriculture, urban planning, disaster relief, and environmental monitoring. The benefits of UAV-based topographical mapping are significant, outweighing drawbacks like reliance on the weather, regulatory compliance, data processing requirements, and limited battery life. Other drawbacks include high accuracy, efficiency, and the capacity to survey inaccessible areas. Further developments in the field are being made possible by this innovation, which is revolutionizing the way we approach terrain analysis and geospatial data collection.

TABLE OF CONTENT

ABSTRACT	i
LIST OF FIGURES	iii
LIST OF ABBREVIATION	iv
1. INTRODUCTION.....	1
1.1 Background.....	1
1.2 Problem Statement	3
1.3 Objectives.....	3
2. LITERATURE REVIEW.....	4
3. Methodology.....	5
3.1 Study area	5
3.2 Materials Used	5
3.3 Work Flow	6
4. RESULTS.....	7
5. CONCLUSION AND DISCUSSION.....	10
6. REFERENCES.....	11
7. ANNEX.....	12

LIST OF FIGURES

Figure 1 : Unmanned aerial vehicles (UAVs)	2
Figure 2 : Study Area	5
Figure 3 : Workflow.....	6
Figure 4 : Final Topographic Map.....	7
Figure 5 : dsm	8
Figure 6 : Ortho-mosaic	8
Figure 7 : dtm.....	9

LIST OF ABBREVIATION

DEM	Digital Elevation Model
DSM	Digital Surface Model
DTM	Digital Terrain Model
GIS	Geographic Information System
UAV	Unmanned Aerial Vehicles

1. INTRODUCTION

1.1 Background

For the purpose of accurately and thoroughly representing the Earth's surface, topographical mapping is a crucial practice in the field of geographic information science. It is crucial to many fields, such as geography, environmental management, urban planning, and civil engineering. Fundamentally, a topographical map depicts the three-dimensional terrain on a two-dimensional surface, paying close attention to the relative positions and elevations of both natural and man-made features. Contour lines, which join points of equal elevation to show the shape and gradient of the terrain, are the basic building blocks of these maps. With the help of this method, users can see an area's topography and recognize features like hills, valleys, ridges, and depressions.

Making a topographical map requires a laborious process of gathering and analyzing data. Digital Elevation Models (DEMs) are high-resolution datasets obtained from satellite imagery, LIDAR, or photogrammetry, and are frequently used in modern techniques. These datasets offer a thorough depiction of the surface of the Earth, which serves as the foundation for creating contour lines. These contour lines are produced by spatial analysis tools in Geographic Information System (GIS) software such as ArcMap, which interpolate elevation points across the terrain. After being created, these contours are divided into major, minor, and intermediate lines to improve legibility and make visible differences between important elevation shifts apparent.

In addition to contours, topographical maps combine a number of features to provide an all-encompassing view of the terrain. Dark, solid colors are commonly used to depict permanent structures like buildings, signifying their durability and stability. Temporary structures can be highlighted by using dashed lines or lighter colors to emphasize their fleeting nature. In order to indicate their removal, demolished buildings are frequently shown in red or with crosshatching. In order to make it simple for users to recognize and understand the contents of the map, natural features such as rivers, lakes, and forests are represented by the appropriate colors (green for vegetation, blue for water bodies).

Topographical maps are useful for much more than just visualization. These maps are essential to urban planning because they aid in the process of choosing sites, zoning, and developing infrastructure by enabling planners to evaluate which locations are best suited for building and development. Topographical maps are a useful tool for environmental scientists and

conservationists to plan conservation efforts, monitor changes in land use, and study ecosystems. These maps are essential for geomatics engineers to have when designing and building infrastructure projects because they give vital information about the topography that influences the layout of buildings, bridges, and roads. Moreover, topographical maps are invaluable in disaster management and mitigation. By understanding the topography of an area, authorities can predict flood zones, landslide-prone areas, and other natural hazards, enabling them to take preventive measures and plan emergency responses effectively.

1.1.1 Unmanned aerial vehicles (UAVs)

Unmanned aerial vehicles (UAVs) have, however, completely changed the topographical mapping process, offering a more effective, precise, and economical method. Unmanned Aerial Vehicles (UAVs) or drones are aircraft that are flown without a human pilot present. They can be controlled remotely or autonomously through onboard computers. Their ability to access difficult or hazardous areas, coupled with their flexibility and speed, makes UAVs an invaluable tool in various industries, including surveying, construction, agriculture, and environmental management. With their sophisticated GPS systems and high-resolution cameras, unmanned aerial vehicles (UAVs) can obtain detailed aerial imagery over vast regions much faster than with conventional techniques. Digital Elevation Models (DEMs), 3D models, and high-precision topographical maps of the surveyed terrain can be produced by processing these images with specialist software.



Using drones for making maps is a modern way to collect detailed information about landscapes. This

report covers the basics of how drones are chosen and equipped with sensors to capture high-quality data. It explains the importance of careful planning for drone flights and how data is processed using special software to create accurate maps and elevation models. By using drones in this way, we can create maps that help with planning cities, managing the environment, farming efficiently, and responding to disasters.

1.1.2 Orthophoto

An orthophoto is an aerial photo that has had the distortions brought about by camera angle and relief in the terrain geometrically corrected. An orthophoto has a consistent scale across the image, which makes it appropriate for precise measurements, in contrast to conventional

aerial photos, which could appear distorted because of perspective. In order to ensure that the final image accurately depicts the Earth's surface, this correction process entails digitally aligning the aerial image with a coordinate system or map projection. Because orthophotos accurately and consistently depict ground features, they are widely used in mapping, urban planning, environmental monitoring, and infrastructure development.

1.1.3 Ortho mosaic

An Ortho mosaic is a photogrammetrically orthorectified image product mosaicked from an image collection, where the geometric distortion has been corrected and the imagery has been color balanced to produce a seamless mosaic dataset.

1.2 Problem Statement

Conventional topographical mapping techniques, which involve the-ground surveys, are frequently expensive, time-consuming, and may not be as accurate, particularly in remote or dangerous areas. For applications in urban planning, agriculture, disaster management, and environmental monitoring in particular, a more effective, accurate, and economical method of mapping terrain features and elevation changes is required. Because they can collect high-resolution aerial imagery and interface with Geographic Information Systems (GIS) to enable comprehensive mapping and analysis, Unmanned Air Vehicles (UAVs) offer a promising solution. However, in order to fully utilize UAV technology for efficient topographical mapping, issues like regulatory compliance, complex data processing, and operational constraints in bad weather must be resolved.

1.3 Objectives

1.3.1 Primary Objectives

- To prepare topographical map using UAV.

1.3.2 Secondary Objectives

The secondary objectives are:

- To Integrate UAV-captured data with GIS for detailed map creation and analysis.
- To produce orthophoto and Digital Terrain Model (DTM).
- To visualize spatial data and develop practical GIS skills.

2. LITERATURE REVIEW

Unmanned Air Vehicles (UAVs) have emerged as transformative tools in remote sensing and mapping, offering significant advantages over traditional methods. Colomina and Molina (2014) underscore the capability of UAVs to capture high-resolution imagery and their integration with Geographic Information Systems (GIS) for precise mapping and terrain analysis. This technological synergy enables UAVs to produce detailed topographical maps and Digital Elevation Models (DEMs), crucial for applications in urban planning, agriculture, and disaster management (Colomina & Molina, 2014).

Nex and Remondino (2014) delve into the advancements in UAV-based photogrammetry and 3D mapping, emphasizing the accuracy and efficiency achieved through improved sensor technology and data processing algorithms. Their research highlights UAVs' role in generating precise spatial data that supports decision-making processes in various fields (Nex & Remondino, 2014).

Studies by Manfreda et al. (2018) and Wang et al. (2020) explore the diverse applications of UAVs in environmental monitoring and urban planning. They discuss how UAVs facilitate real-time monitoring of environmental changes, contribute to natural resource management, and enhance the resilience of urban infrastructure through detailed spatial data acquisition (Manfreda et al., 2018; Wang et al., 2020).

However, the adoption of UAVs in mapping is not without challenges. Siebert and Teizer (2014) identify regulatory compliance, weather dependency, and data processing complexity as significant hurdles. Addressing these challenges is crucial for maximizing the potential of UAVs in achieving cost-effective and accurate topographical mapping solutions (Siebert & Teizer, 2014).

Looking ahead, Turner et al. (2015) and Whitehead and Hugenholtz (2014) discuss future directions in UAV technology, envisioning advancements in sensor integration, real-time data processing capabilities, and autonomous operations. These innovations promise to further enhance the efficiency and accuracy of UAV-based mapping, paving the way for expanded applications in diverse industries (Turner et al., 2015; Whitehead & Hugenholtz, 2014).

3. Methodology

3.1 Study area



3.2 Materials Used

3.2.1 Data used

We used the aerial photographs given by the sujan sir. The data contains a total of 105 images

3.2.2 Software used

For image preparation and Generation of Orthophoto, a sophisticated application Pix4D was used. finally, ArcMap10.8 was used to digitize and create the final map layout.:

3.3 Work Flow

a) Pre-Flight Planning

Select and define the geographical area to be mapped, considering project objectives and spatial boundaries. Utilize UAV flight planning software (e.g., Pix4Dcapture, DJI Ground Station Pro) to design optimal flight paths. Specify parameters such as altitude, overlap (front and side), and flight speed to ensure comprehensive coverage and data quality. Strategically deploy GCPs across the survey area using GPS devices to facilitate accurate georeferencing of UAV-captured imagery.

b) UAV Data Acquisition

Conduct pre-flight checks to ensure UAV and payload (camera, sensors) functionality and calibration. Execute planned flight missions to systematically capture high-resolution imagery of the survey area. Monitor flight parameters and ensure stable flight conditions to minimize data acquisition errors. UAV captures imagery at predetermined intervals, ensuring sufficient overlap for photogrammetric processing.

c) Data Processing

Transfer captured images from the UAV to a computer or storage device for further processing. Use photogrammetry software (e.g., Pix4Dmapper, Agisoft Metashape) to stitch individual images into seamless orthomosaics, correcting for distortions and optimizing image alignment. Incorporate GCPs into the image processing workflow to accurately georeference the orthomosaic and ensure spatial accuracy. Derive a high-resolution DEM from the orthomosaic to represent terrain elevation and topographical features.

d) Map Production

Integrate the georeferenced orthomosaic and DEM with GIS software ArcGIS to produce detailed topographical maps. The road, temples, wells, buildings were digitize using the arcmap. Include additional layers such as contours, land use classifications, and infrastructure features as required. Analyze the generated maps and derived data for specific applications such as urban planning, agriculture, environmental monitoring, and infrastructure development.




Figure 3 : Workflow

4. RESULTS




Figure 4 : Final Topographic Map

The application of Unmanned Air Vehicles (UAVs) for the preparation of topographical maps has yielded significant results in terms of data accuracy, efficiency, and versatility. By leveraging UAV technology equipped with advanced sensors and cameras, high-resolution imagery and precise elevation data were captured over diverse landscapes. The generated orthophotos and Digital Elevation Models (DEMs) exhibited minimal distortion, providing a uniform scale and accurate representation of terrain features.




Figure 6 : Ortho-mosaic




Figure 5 : dsm




Figure 7 : dtm

5. CONCLUSION AND DISCUSSION

Drones can capture detailed pictures from above and use them to create precise maps of terrain and elevation. This method is faster and cheaper than traditional ways of mapping with manned aircraft or ground surveys. It's also versatile, being useful for urban planning, agriculture, monitoring the environment, managing disasters, and constructing buildings. One of the main benefits is how detailed and accurate the maps can be. Drones capture high-resolution images that show even small details of the land's surface. This helps in making decisions about where to build, how to manage crops, and understanding changes in the environment.

However, there are challenges. Drones must follow strict rules for flying, and bad weather can disrupt their flights. Processing all the data they collect also takes time and specialized software. Looking forward, improvements in drone technology will continue to make mapping faster and more precise. Integrating drones with artificial intelligence could automate more of the mapping process, making it even easier to use

Using drones to make maps is a game-changer for how we understand and plan our environment. By solving challenges and building on these advancements, we can use drone technology to create better maps and make smarter decisions for the future.

6. REFERENCES

- Colomina, I., & Molina, P. (2014). Unmanned aerial systems for photogrammetry and remote sensing: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 92, 79-97. <https://doi.org/10.1016/j.isprsjprs.2014.02.013>
- Nex, F., & Remondino, F. (2014). UAV for 3D mapping applications: A review. *Applied Geomatics*, 6(1), 1-15. <https://doi.org/10.1007/s12518-013-0120-x>
- Manfreda, S., McCabe, M. F., Miller, P. E., et al. (2018). On the use of unmanned aerial systems for environmental monitoring. *Remote Sensing*, 10(4), 641. <https://doi.org/10.3390/rs10040641>
- Wang, L., Myint, S. W., & Wang, L. (2020). UAV-based vegetation monitoring: State of the art and prospects. *International Journal of Remote Sensing*, 41(8), 3210-3246. <https://doi.org/10.1080/01431161.2020.1722537>
- Siebert, S., & Teizer, J. (2014). Mobile 3D mapping for surveying earthwork projects using an unmanned aerial vehicle (UAV) system. *Automation in Construction*, 41, 1-14. <https://doi.org/10.1016/j.autcon.2014.02.010>
- Turner, D., Lucieer, A., & de Jong, S. M. (2015). Time series analysis of landslide dynamics using an unmanned aerial vehicle (UAV). *Remote Sensing*, 7(2), 1736-1757. <https://doi.org/10.3390/rs70201736>
- Whitehead, K., & Hugenholtz, C. H. (2014). Remote sensing of the environment with small unmanned aircraft systems (UASs), part 1: A review of progress and challenges. *Journal of Unmanned Vehicle Systems*, 2(3), 69-85. <https://doi.org/10.1139/juvs-2014-0006>

7. ANNEX

